

# NEW ADDITIONS TO MACROFUNGI OF TELANGANA STATE, INDIA

## C. MANOHARACHARY¹ AND D. NAGARAJU²

<sup>1</sup>Mycology and Molecular Plant Pathology Laboratory, Department of Botany, Osmania University, Hyderabad – 500007, Telangana, India, Department of Botany, Govt. Degree College, Eturnagaram-506165, Distt. Warangal, Telangana, India. Email: nagaraj.bot9@gmail.com

Date of Online Publication:31st March 2017

During field visit (2014-16) of some of the places of Telangana state viz., Amrabad, Anathagiri, Bhadrachalam, Eturnagaram, Mannanoor, Narsapur, and Vikarabad; twenty macrofungi, associated with litter, humid soil and wood logs, were collected, respectively. Out of these 20 macrofungi; seventeen spp are the new reports from Telangana state, India

Higher fungi consisting of gill fungi mushrooms, jelly fungi, stink horns, earth stars, puff balls, bracket fungi ectomycorrhizal fungi and others belongs to phylum Basidiomycotina. Among these some mushrooms are edible while others are poisonous. Bracket fungi attack woody plants and cause damage. Further some Mushrooms possess medicinal, insecticidal, hallucinogenic properties and other metabolites mushroom production is a multibillion dollar industry all over the world. Higher fungi including mushrooms have been reported from India from time to time (Amandeep et al. 2015, Atri et al 2000, 2003, 2005, Arya et al. 2008, Bhatt and Lakhanpal 1990, Borkar et al. 2015, Das 2010, 2014, Dwivedi et al. 2012, Gogoi and Parkash 2015, Thatoi and Kumar 2014, Kaviyarasan et al 2009, Kirk et al 2008, Kumar et al. 2015; Kumar and Kaviyarasan 2011, Lakhanpal 1997, 1993, 2014, Mani and Kumaresan 2009, Manoharachary et al. 2005, Nabakanta and Chhetry 2010, Natarajan 1995, Natarajan et al. 2005a,b, Patil 1995, Polashree and Joshi 2012, Prasher and Ashok 2013, Pushpa and Purushothama 2012, Rajendra et al. 2014, Ranadive et al. 2011, Saini and Atri 1995, Sarma et al. 2000, 2010, Smriti et al. 2014, Subramanian 1995, Tagade and Kawale 2014, Thind 1973, Thind et al. 1982, Thatoi 2014, Vishwakarma et al. 2011, 2012). However, there is no report of such macrofungi from Telangana state, hence an attempt was made to survey (2014-2016) and report the

information, in the present communication.

# **Topography and Climate**

Telangana State is situated on the Deccan Plateau, in the central stretch of the eastern seaboard of the Indian Peninsula Ranges between 15°50'-19°55' and 77°14'-78°50'E). The state has got 10 districts covering an area of 133, 103 km. The most important rivers of the province are Musi, Krishna, Manjira and Godhavari. It has become 29th state of India on 2nd June 2014. Dry deciduous, scrub Jungle forests and mixed forest types are distributed in Districts of Rangareddy, Khammam, Medak, Mahabubnagar, Warangal, Nizamabad and Adilabad. The annual rainfall is between 900 to 1500 mm in Northern Telangana and 700 to 900 mm in Southern Telangana, from the southwest monsoons. Various soil types include chalkas, red sandy soils, dubbas, deep red loamy soils, and very deep black cotton Soil. Telangana is a semi-arid area and has a predominantly hot and dry climate. Summers start in March, and reach peak in May with an average high temperatures to the 42°C (108°F) range. The monsoon arrives in June and lasts until September with about 755 mm (29.7 inches) of precipitation. A dry, mild winter starts in late November and lasts until early February with little humidity and an average temperatures of 22.23 °C (72.73 °F) range (Figure-1).

## MATERIALS AND METHODS

Fruit bodies of macro-fungi were collected




Figure-1.TELANGANA: Area Map of Sample Collection Site

from humid soil, dead wood, litter, dung and others. Morphological and macroscopic features of the higher fungal fruit-bodies form the basis of their identification. The fresh fruitbodies were sampled after taking photographs, and the morphological characters such as shape, size, colour, texture etc. were recorded. The steps followed in sampling or preparation of type specimen is collection including spore print, documentation and preservation. Drying of specimens, herbarium preparation, detailed morphological and anatomical studies were followed as per Keviyarasan et al. (2009). Collection sites selected for sampling were Amrabad, Anathagiri, Bhadrachalam, Eturnagaram, Mannanoor, Narsapur, and Vikarabad. The specimens thus collected were deposited as OUFH at Department of Botany, Osmania University, Hyderabad.

#### **RESULTS AND DISCUSSIONS**

India is rich in diversity and is blessed with diverse agro climatic zones, forest vegetation and soil conditions. The occurrence and distribution of basidimycetous have been worked out by many from Himalayas, Western Ghats and other parts of India (Atri *et al.* 2008,

Brown et al. 2006, Gurudevan et al. 2011, Krishna et al. 2015, Kaviyarasan 2009, Lakhanpal 1993, Senthilarasu 2015, Senthilarasu and Kumaresan 2016, Ranadive et al. 2011, Thind 1973, 1982). However a large part of India remains unexplored though randomized reports are made from some parts of India. Telangana state with its diversified forest vegetation has been neglected except for the report of Krishna et al. (2015). The present study revealed the association of 20 higher fungi representing Amanita (4), Ganoderma (3), Lenzites (1), Phellinus (2), Pluteus (1), Polyporus (1), Poria (1), Schizophyllum (1), Stereum (1), Trametes (1) and Volvariella (4) of which Amanita, Ganoderma and Volvariella have been predominantly found. Earlier Krishna et al. (2015) have reported Ganoderma applanatum, Phellinus igniarius and Schizophyllum commune from Telangana. However, in the present investigations, out of 20 macrofungi; 17 spp form new additions to Telangana state, India. (Table-1).

The author D. Nagaraju is thankful to the Commissioner of Collegiate Education, Telangana, Hyderabad, for encouragement. C. Manoharachary is thankful to NASI Allahabad for awarding Senior Scientist and Platinum Jubilee Fellowship.

**Table-1.** List of Macrofungi from Telangana

Sl.No	Fungus	Habitat	Place & Date of collection	Accession No.
1.	Amanita muscaria var. guessowii. Vesley	Litter	BhadrachalamOct 3 <sup>rd</sup> , 2015	OUFH 1001
2.	Amanita battarae (Boud)Bon	Litter	Eturnagaram Sept 15th 2015	OUFH 1002
3.	Amanita pachycolea Stuntzn	Litter, Humid soil	Bhadrachalam Sept15th, 2015	OUFH 1003
4.	Amanita rubescens Pers: Fr	Litter & Humid soil	Anantagiri Nov 20 <sup>th</sup> , 2015	OUFH 1004
5.	* Ganoderma applanatum Karst.	Wood log	Narsapur Sept 20 <sup>th</sup> , 2015	OUFH 1005
6.	Ganoderma lucidum (Curt: fr) Karst	Wood of Delonix regia	Vikarabad Nov 30 <sup>th</sup> , 2015	OUFH 1006
7.	Ganoderma resinaceum Boudler	Wood log	Bhadrachalam Sept 30 <sup>th</sup> , 2015	OUFH 1007
8.	Lenzites betulina (L) fr.	<i>Dalbergia</i> sp. Wood	Bhadrachalam Nov 15 <sup>th</sup> , 2015	OUFH 1008
9.	*Phellinus igniarius (L) Auol	Wood log	Bhadrachalam Nov 15 <sup>th</sup> 2015	OUFH 1009
10.	Phellinus gilvus (schwein) Patt.	Wood	Bhadrachalam Dec 3 <sup>rd</sup> , 2015	OUFH 1010
11.	Pluteus bakeri (Mun) Shaff	Humid soil	Amrabad Dec 8 <sup>th</sup> , 2015	OUFH 1011
12.	Polyporus grammocephalus Ben.	Wood	Mannanoor Jan 15 <sup>th</sup> , 2016	OUFH 1012
13.	Poria auricoma (Lev) Cooke	Wood log	Mannanoor Jan 20 <sup>th</sup> , 2016	OUFH 1013
14.	*Schizophyllum commune Fr.	Wood	Anantagiri Jan 25 <sup>th</sup> , 2016	OUFH 1014
	Stereum ostrea (Blume & Nees) Fr.	Wood	Eturnagaram Dec 30 <sup>th</sup> , 2015	OUFH 1015
16.	Trametes versicolor Lloyd	Wood	Mannanoor Jan 20 <sup>th</sup> , 2016	OUFH 1016
17.	Volvariella cubensis (Murr)Shagg.	Litter	Eturnagaram Dec 30 <sup>th</sup> , 2015	OUFH 1017
18.	Volvariella pusilla (Pers: Fr) Singer	Litter & Humid soil	Mannanoor Jan 20 <sup>th</sup> , 2016	OUFH 1018
19.	Volvariella terastia (Berk & Br.) Singer	Litter	Bhadrachalam Jan 25 <sup>th</sup> , 2016	OUFH 1019
20.	Volvariella volvacea (Bul. Ex Fr.) Singer	Litter	Bhadrachalam Jan 25 <sup>th</sup> , 2016	OUFH 1020

OUFH=Osmania University Fungal Herbarium, \*Reported earlier by Krishna et al. (2015).

#### REFERENCES

Amandeep K, Atri N S and Munruchi K 2015 *Psathyrella (Psathyrellaceae, Agaricales)* species collected on dung from Punjab, India. *Current Research in Environmental & Applied Mycology* **5(2)** 128–137.

Arya A, Albert S and Nagadas PK 2008 New and interesting records of Basidiomycetous fungi from Ratanmahal Wildlife Sanctuary, Gujarat, India; *J Mycol Pl Pathol* **38(2)** 221-226.

Atri N S, Saini S S 2000 Collection and study of Agarics— An introduction. *Indian Journal of Mushrooms* **18(1&2)** 1–5.

Atri N S, Kaur A and Saini SS 2003 Wild mushrooms- collection and identification. *Mushroom Res.* **14** 56-59.

Atri N S, Kaur A and Kour H 2005 Wild mushrooms -collection and identification. In: Rai R D, Upadhyay R C, Sharma S R, editors. *Frontier in Mushroom Biotechnology*. Chambaghat, Solan, India: National Research Centre for Mushrooms, 9–26.

Bhatt R P and Lakhanpal T N 1990 Fleshy fungi of North Western Himalayas V. *Indian Phytopathol.* **43** 156-164.

Borkar P A Doshi and Navathe S 2015 Mushroom diversity of Konkan region of Maharashtra, India. *Journal of Threatened Taxa* **7(10)** 7625–7640.

Brown N, Bhagwat S and Watkinson S 2006 Macrofungal diversity in fragmented and disturbed forests of the Western Ghats of India. *Journal of Applied Ecology* **43(1)** 1117.

Das A K and Das N 2014 Diversity of Mycoflora in conifer forests of Munsiary and its adjoining areas of Uttarakhand, India. *International Journal of Plant, Animal and Environmental Sciences.* **4 (4)** 21-24.

Das K 2010 Diversity and conservation of wild mushrooms in Sikkim with special reference to Barsey Rhododendron Sanctuary, *NeBIO* (1) 1–13.

Dwivedi S, Tiwari M K, Chauhan U K and Pandey A K 2012 Biodiversity of mushrooms of Amarkantak Biosphere Reserve forest of Central India. *Int. J. of Pharm. & Life Sci.* (*IJPLS*), **3(1)** 1363-1367.

Gogoi G and Parkash V 2015 A checklist of gilled mushrooms (Basidiomycota: Agaricomycetes) with diversity analysis in Hollongapar Gibbon Wildlife Sanctuary, Assam, India. *Journal of Threatened Taxa* 7(15) 8272–8287.

Gudikandula K, Samatha B, S V S S S L Hima Bindu Nidadavolu, Metuku R P, Byram R, and Charaya M A S 2015 Macrofungi in Some Forests of Telangana State, *India Journal of Mycology*. <a href="http://dx.doi.org/10.1155/2015/382476">http://dx.doi.org/10.1155/2015/382476</a>.

Gunasekaran S 2015 The lentinoid fungi (*Lentinus* and *Panus*) from Western Ghats, India. *IMA Fungus* • **6(1)** 119–128.

Kaviyarasan V, Ravindran C, Senthilarasu G, Narayanan K, Kumaresan V and Kumar M 2009. *A field guide to South Indian Agaricales*. p. 75. Madras University, Chennai

Kirk P M, Cannon P F and Stalpers JA 2008 *Dictionary of the Fungi*, 10th edn., CABI. pp. 960.

Kumar M and Kaviyarasan V 2011 A rare agaric (Agaricomycetes: Agaricaceae) from a Sacred Grove of Eastern Ghats, India. *Journal of Threatened Taxa* **3(5)** 1778–1781.

Kumar R, Pandey S, Giri K, Mishra G, and Raja R R 2015 Unrecorded macrofungi from the Narpuh Reserve Forest of Meghalaya, India. *Current Life Sciences* **1** (3) 118-123.

Lakhanpal T N 1997 Diversity of Mushroom Microflora in the North Western Himalaya. In: Recent Research in Ecology, Environment and Pollution. Eds. Sati SC, Saxena J and Dubey RC. Today and Tommrow's Printers and Publishers, New Delhi, pp: 35-68.

Lakhanpal T N 1993 The Himalayan Agaricales- Status of systematics. *Mushroom Research*, 2, . 1-10.

Lakhanpal T N 2014 Mushroom biodiversity in

*India: prospects and Potential.* Proceedings of the 8<sup>th</sup> Int. conf. on Mushroom Biology and Mushroom Products (ICMBMP8) pp.7-16.

Mani S and Kumaresan V 2009 Occurrence of macrofungi on the Coramandel coast of Tamilnadu, Southern India. *J. Threatened Taxa*. **1(1)** 54-57.

Manoharachary C, Sridhar K, Singh K, Adholeya R, Suryanarayanan TS, Rawat S and Johri BN 2005 Fungal diversity: Distribution conservation and prospecting of fungi from India. Current Science, **89** 58-71.

Natarajan K 1995 Mushroom flora of South India (except Kerala)," in *Advances in Horticulture* 13 *Mushroom*, Chadha K.L. and Sharma S R (eds.) Malhotra Publishing House, New Delhi, India 381–397.

Natarajan K, Raman N 1980 South Indian Agaricales - IX. Sydowia 33 225–235.

Natarajan K, Narayanan K, Ravindran C and Kumerasan V 2005a Biodiversity of agarics from Nilgiri Biosphere Reserve, Western Ghats, India. Current Science, **88(12)** 1890-1893.

Natarajan K, Kumaresan V and Narayanan K 2005b A check list of Indian agarics and boletes. *Kayaka* **33** 61-128.

Nabakanta Singh M and Chhetry GKN 2010 Biodiversity of macrofungi in Imphal, India-I *Indian Phytopath.* **63 (1)** 79-82.

Patil B D, Jadhav S W and Sathe A V 1995 Mushroom Flora of Maharastra In: Advances in Horticulture Vol. 13-Mushroom (eds. K. L. Chadda and S. R. Sharma) Malhotra Publishing House New Delhi, pp 317-328.

Prasher IB and Deepali Ashok 2013 A Checklist of Wood Rotting Fungi (non-gilled Agaricomycotina) of Himachal Pradesh. *Journal on New Biological Reports* **2(2)** 71-98.

Pushpa H Purushothama KB 2012 Biodiversity of Mushrooms in and Around Bangalore (Karnataka), India. *American-Eurasian J. Agric. & Environ. Sci.*, **12 (6)** 750-759.

Polashree K and Joshi S R 2012. Wild edible macrofungal species consumed by the Khasi tribe of Meghalaya, India. *Indian Journal of Natural Products and Resources* **4(2)** 197-204.

Rajendra B, Kakde and Rajesh S Gaikwad 2014 Diversity of wood decay fungi at Mantha, Jalna (MS) India. *Bioscience Discovery* **5(2)** 230-236.

Ranadive K R, Vaidya J G, Jite P K, Ranade V D, Bhosale S R, Rabba A S, Hakimi M, Deshpande G S, Rathod M M, Forutan A, Kaur M, Naik-Vaidya C D, Bapat G S and Lamrood P 2011. Checklist of Aphyllophorales from the Western Ghats of Maharashtra State, India. *Mycosphere* **2(2)** 91.114.

Rawat S, Adhikari R S and Tiwari A 2014 Higher Fungi Associated with Decomposing Leaf Litter of *Pinus longifolia*. *Int J Curr Microbiol App Sci* **3(10)** 722-732.

Saini S S and Atri N S 1995 Mushroom flora of Punjab. In: Advances in Horticulture Vol. 13-Mushrooms, (eds. Chadha K. L. and Sharma S. R.) Malhotra Publishing House New Delhi. 375-386.

Sarma T C, Sarma I and Patiri B N 2010 Wild edible mushrooms used by some ethnic tribes of Western Assam. *Bioscan Int J Life Sci.* **3** 613-625.

Sarma VV and Vittal BPR 2000 Biodiversity of mangrove fungi on different substrata of *Rhizophora apiculata* and *Avicennia* spp. from Godavari and Krishna deltas, east coast of India. *Fungal Diversity* **5** 23-41.

Senthilarasu G and Kumaresan V 2016 – Diversity of agaric mycota of Western Ghats of Karnataka, India. *Current Research in Environmental & Applied Mycology* **6(1)** 75–101.

Subramanian C V 1995 Mushrooms: Beauty, diversity, relevance. *Current Science* **69(12)** 986-998.

Tagade W Y and Kawale M V 2014 Diversity of Wild Macrofungi in forests of Bhandara District, (MS), India, *Int. J. Life Sciences*,

Special Issue A **2** 125-127.

Thind K S 1973. The Aphyllophorales in India. *Indian Phytopath.* **26** 2–23.

Thind K S, Thind I P S and Sharma B M 1982 The Gasteromycetes of the Himalayas-IX Two new hypogeous species. *Indian Phytopath*. **35** 613-615.

Thatoi H and Kumar S S 2014 Diversity, nutritional composition and medicinal potential of Indian mushrooms: A review. *African Journal of Biotechnology* **13(4)** 523-545.

Thiribhuvanamala G V Prakasam G Chandrasekar K Sakthivel S Veeralakshmi R Velazhahan G Kalaiselvi 2011. Biodiversity, Conservation and Utilisation of Mushroom flora from the Western Ghats region of India. Proceedings of the 7th International Conference on Mushroom Biology and Mushroom Products (ICMBMP7) 163-172.

Vishwakarma M P, Bhatt R P and Joshi S 2012 Macrofungal diversity in moist temperate forests of Garhwal Himalaya. *Indian J Sci Techn* **5 (1)** 1928-1932.

Vishwakarma M P, Bhatt R P and Gairola S 2011 Some medicinal mushrooms of Garhwal Himalaya, Uttarakhand,India. *Int J Med Arom Plants* **1(1)** 33-40.